

PSG College of Pharmacy, Coimbatore-641004

PSGCP HD Academy






GPAT Coaching Classes (2021-2022) - Time table Monthly Schedule

July & August 2022


IV B. Pharm / VII Semester (2018 Batch)

Dear Faculty Members,

This is to inform you that the GPAT coaching classes are scheduled for the academic year 2021 -2022 to IV B.Pharm Students (2018 Batch) as given below.

S. No	Date	Time	Subject	Faculty Name	Signature
1.	25.07.2022	10 am - 11 am	Pharmacology	Dr.M.Ramanathan	
2.	28.07.2022	10 am - 11 am	Pharmaceutics	Dr. V.Sankar	
3.	16.08.2022	10 am - 11 am	Pharmaceutical Chemistry	Dr.K.Umaa	
4.	19.08.2022	10 am - 11 am	Pharmaceutical Chemistry	Dr S.E. Maida Engels	
5.	23.08.2022	10 am - 11 am	Pharmaceutics	Mrs S.Vijayalakshmi	

  
Dr.M.Ramanathan  
Principal



PSG College of Pharmacy, Coimbatore-641004

PSGCP HD Academy

GPAT Coaching Classes (2021-2022) - September 2022


IV B. Pharm / VII Semester (2018 Batch)

Dear Faculty Members,

This is to inform you that the GPAT coaching classes are scheduled for the month of Sep-2022 in the academic year 2021 -2022 to IV B.Pharm Students (2018 Batch) as given below.

S. No	Date	Time	Subject	Faculty Name	Signature
1.	02.09.2022	10 am - 11 am	Pharmaceutical Chemistry	Dr S.E. Maida Engels	<i>[Signature]</i>
2.	07.09.2022	10 am - 11 am	Pharmaceutics	Dr.V.Sankar	<i>[Signature]</i>
3.	09.09.2022	09 am - 10 am	Pharmacology	Dr.M.Ramanathan	<i>[Signature]</i>
4.	12.09.2022	10 am - 11 am	Pharmaceutical Chemistry	Mr D.Sivakumar	<i>[Signature]</i>
5.	15.09.2022	10 am - 11 am	Pharmaceutics	Dr.V.Sankar	<i>[Signature]</i>
6.	16.09.2022	10 am - 11 am	Pharmaceutics	Dr.V.Sankar	<i>[Signature]</i>
7.	19.09.2022	10 am - 11 am	Pharmaceutical Chemistry	Dr S.E. Maida Engels	<i>[Signature]</i>
8.	22.09.2022	10 am - 11 am	Pharmacology	Dr.M.Ramanathan	<i>[Signature]</i>
9.	23.09.2022	09 am - 10 am	Pharmacology	Dr.M.Ramanathan	<i>[Signature]</i>
10.	26.09.2022	10 am - 11 am	Pharmaceutics	Mrs S.Vijayalakshmi	<i>[Signature]</i>
11.	29.09.2022	10 am - 11 am	Pharmaceutical Chemistry	Mr D.Sivakumar	<i>[Signature]</i>
12.	30.09.2022	09 am - 10 am	Pharmacology	Dr.M.Ramanathan	<i>[Signature]</i>

*[Signature]*  
Dr.M.Ramanathan  
Principal



PSG College of Pharmacy, Coimbatore-641004








PSGCP HD Academy

GPAT Coaching Classes (2021-2022) - November 2022

IV B. Pharm / VII Semester (2018 Batch)

Dear Faculty Members,

This is to inform you that the GPAT coaching classes are scheduled for the month of Nov-2022 in the academic year 2021 -2022 to IV B.Pharm Students (2018 Batch) as given below.

S. No	Date	Time	Subject	Faculty Name	Signature
1.	15.11.2022	09 am - 10 am	Pharmacology	Dr.M.Ramanathan	
2.	16.11.2022	03 pm - 04 pm	Pharmaceutical Chemistry	Mr D.Sivakumar	
3.	18.11.2022	03 pm - 04 pm	Pharmaceutics	Mrs S.Vijayalakshmi	
4.	22.11.2022	09 am - 10 am	Pharmacology	Dr.M.Ramanathan	
5.	23.11.2022	03 pm - 04 pm	Pharmaceutics	Mrs S.Vijayalakshmi	
6.	28.11.2022	03 pm - 04 pm	Pharmaceutical Chemistry	Dr S.E. Maida Engels	
7.	30.11.2022	09 am - 10 am	Pharmacology	Dr.M.Ramanathan	

  
**Dr.M.Ramanathan**  
**Principal**

S.No	Name of The Student	09/10/2022	15/10/2022	16/10/2022	19/10/2022	15/11/2022	18/11/2022	23/11/2022	28/11/2022
1.	Abinaya .R	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
2.	Akash .R	P.Akash	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
3.	Anbarasu .V	V.Anbarasu	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
4.	Anushma .P	-A-	V.Anushma	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
5.	Balaji .A	P.Balaji	P.Balaji	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
6.	Christina Grace .A	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
7.	Dhanashri .S	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
8.	Divyasrita .V.S	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
9.	Gowri Shankar .G	G.Gowri Shankar	G.Gowri Shankar	G.Gowri Shankar	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
10.	Kandhaprakash .R	R.Kandhaprakash	R.Kandhaprakash	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
11.	Kanimozhi .P	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
12.	Keerthana .G	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
13.	Komaleeshwari .R	-A-	-A-	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
14.	Manoj Prabhakar .S	S.Manoj Prabhakar	S.Manoj Prabhakar	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
15.	Mohan Raj .R	Mohan Raj .R	Mohan Raj .R	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
16.	Moniga .R	Moniga .R	Moniga .R	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
17.	Poobesh .M	Poobesh .M	Poobesh .M	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
18.	Priya Varshini .K	P.Priya Varshini	P.Priya Varshini	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
19.	Priyadarshini .N	P.Priyadarshini	P.Priyadarshini	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
20.	Punitha .V	Punitha .V	Punitha .V	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
21.	Ragavi .A	A.Ragavi	A.Ragavi	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
22.	Ramaswamy .A	Ramaswamy .A	Ramaswamy .A	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
23.	Ramya .T	Ramya .T	Ramya .T	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
24.	Rishi G N	Rishi G N	Rishi G N	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
25.	Sabari .A.E	Sabari .A.E	Sabari .A.E	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya
26.	Santhiya .P	Santhiya .P	Santhiya .P	-A-	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya	P.Akshaya



27.	Sarulatha .M.S	M.S.S	-A-	M.S.S	M.S.S	M.S.S	M.S.S	M.S.S	M.S.S
28.	Sheik Syed Abutahir .K.M	<del>Sheik</del>	-A-	-A-	<del>Sheik</del>	<del>Sheik</del>	<del>Sheik</del>	<del>Sheik</del>	<del>Sheik</del>
29.	Shobika .V	V.Shobika	V.Shobika	V.Shobika	V.Shobika	V.Shobika	V.Shobika	V.Shobika	V.Shobika
30.	Sowmini .S	<del>Sowmini</del>	<del>Sowmini</del>	<del>Sowmini</del>	<del>Sowmini</del>	<del>Sowmini</del>	<del>Sowmini</del>	<del>Sowmini</del>	<del>Sowmini</del>
31.	Srivignesh .K.S	Sri	Sri	Sri	Sri	Sri	Sri	Sri	Sri
32.	Vaithyalingam .K	-A-	-A-	-A-					
33.	Viji .M	-A-	M.S.S	M.S.S	M.S.S	M.S.S	M.S.S	M.S.S	M.S.S
34.	Shanjuvignashini	<del>S. Shanjuvignashini</del>	-A-	-A-	<del>S. Shanjuvignashini</del>	<del>S. Shanjuvignashini</del>	<del>S. Shanjuvignashini</del>	<del>S. Shanjuvignashini</del>	<del>S. Shanjuvignashini</del>
35.	Hannah Thomas	<del>Hannah Thomas</del>	-A-	-A-	<del>Hannah Thomas</del>	<del>Hannah Thomas</del>	<del>Hannah Thomas</del>	<del>Hannah Thomas</del>	<del>Hannah Thomas</del>
36.	Yaswanth K	K. Yaswanth	-A-	K. Yaswanth	K. Yaswanth	K. Yaswanth	K. Yaswanth	K. Yaswanth	K. Yaswanth



PSG College of Pharmacy, Coimbatore-641004

PSGCP HD Academy

GPAT Coaching Classes (2021-2022)

IV B. Pharm / VII Semester (2018 Batch)

Attendance sheet - July- August 2022

S.No	Name of the student	25.07.2022	28.07.2022	16.08.2022	19.08.2022	23.08.2022
1.	ABINAYA .R	P.Abhaya	- A -	P.Abhaya	P.Abhaya	P.Abhaya
2.	AKASH .R	P.Akash	R.Akash	R.Akash	- A -	- A -
3.	ANBARASU .V	- A -	V.Naras	V.Naras	- A -	- A -
4.	ANUSHMA .P	- A -	Anushma	Anushma	Anushma	Anushma
5.	BALAJI .A	Bhujia	Bhujia	Bhujia	- A -	Bhujia
6.	CHRISTINA GRACE .A	- A -	Christina	Christina	Christina	Christina
7.	DHANASHRI .S	- A -	- A -	Saravathi	Saravathi	Saravathi
8.	DIVYASRITA .V.S	V.S. Divyashri	V.S. Divyashri	V.S. Divyashri	V.S. Divyashri	V.S. Divyashri
9.	GOWRI SHANKAR .G	G.Gowrishankar	G.Gowrishankar	G.Gowrishankar	G.Gowrishankar	G.Gowrishankar
10.	KANDHAPRAKASH .R	R.Kandhaprakash	R.Kandhaprakash	R.Kandhaprakash	R.Kandhaprakash	R.Kandhaprakash
11.	KANIMOZHI .P	P.Kanimozhi	- A -	P.Kanimozhi	P.Kanimozhi	P.Kanimozhi
12.	KEERTHANA .G	- A -	A.Kt	A.Kt	- A -	- A -
13.	KOMALEESHWARI .R	- A -	R.Kt	R.Kt	R.Kt	- A -
14.	MANOJ PRABHAKAR .S	S.O	S.O	S.O	S.O	S.O
15.	MOHAN RAJ .R	Mohanraj	Mohanraj	Mohanraj	Mohanraj	Mohanraj
16.	MONIGA .R	Moniga	Moniga	Moniga	- A -	Moniga
17.	POOBESH .M	M.Poobesh	M.Poobesh	- A -	- A -	M.Poobesh
18.	PRIYA VARSHINI .K	P.Varshini	P.Varshini	P.Varshini	P.Varshini	P.Varshini
19.	PRIYADHARSHINI .N	N.Priyadharsini	N.Priyadharsini	- A -	- A -	- A -
20.	PUNITHA .V	V.Punitha	V.Punitha	V.Punitha	V.Punitha	V.Punitha
21.	RAGAVI .A	A.Ragavi	A.Ragavi	A.Ragavi	A.Ragavi	A.Ragavi
22.	RAMASWAMY .A	A.Ramaswamy	A.Ramaswamy	A.Ramaswamy	A.Ramaswamy	A.Ramaswamy
23.	RAMYA .T	T.Ramya	T.Ramya	T.Ramya	T.Ramya	T.Ramya
24.	RISHI G N	G.N.Rishi	G.N.Rishi	- A -	- A -	G.N.Rishi
25.	SABARI .A.E	A.E.Sabari	- A -	- A -	- A -	A.E.Sabari
26.	SANTHIYA .P	P.Santhiya	P.Santhiya	P.Santhiya	P.Santhiya	P.Santhiya
27.	SARULATHA .M.S	M.S.Sarulatha	M.S.Sarulatha	M.S.Sarulatha	M.S.Sarulatha	M.S.Sarulatha
28.	SHEIK SYED ABUTAHIR .K.M	K.M.Sheik	K.M.Sheik	K.M.Sheik	K.M.Sheik	K.M.Sheik
29.	SHOBIKA .V	V.Shobika	V.Shobika	V.Shobika	V.Shobika	V.Shobika
30.	SOWMINI .S	S.Sowmini	S.Sowmini	S.Sowmini	S.Sowmini	S.Sowmini
31.	SRIVIGNESH .K.S	K.S.Srivignesh	K.S.Srivignesh	K.S.Srivignesh	K.S.Srivignesh	K.S.Srivignesh
32.	VAITHYALINGAM .K	K.Vaithyalingam	- A -	- A -	- A -	K.Vaithyalingam
33.	VIJI .M	M.Viji	M.Viji	M.Viji	M.Viji	M.Viji
34.	SHANJUVIGASHINI	G.Shanjuvigashini	G.Shanjuvigashini	G.Shanjuvigashini	G.Shanjuvigashini	G.Shanjuvigashini
35.	Yaswanth .K	K.Yaswanth	K.Yaswanth	K.Yaswanth	K.Yaswanth	K.Yaswanth
36.	Hannah Thomas	Hannah Thomas	Hannah Thomas	Hannah Thomas	Hannah Thomas	Hannah Thomas



50

## PSG College of Pharmacy

## PSGCP HD Academy

## Model Question paper-1

**1. A technique of using very small metal particles coated with desired DNA in the gene transfer is called:-**

- (a) Microinjection (b) Biolistic (c) Liposome mediated (d) Electroporation

**2. Arrange the following steps in sequence of their order for production of recombinant Insulin:-**

- A. Fusion of A and B chains for disulphide bond.  
 B. Cynogen bromide treatment to remove methi onine and â galactosidase.  
 C. Introduction of A and B chain in the plasmid containing â galactosidase g ene.

- D. Synthesis of A and B chain in E coli.

C-D-B-A

**3. Motif is represented by:-**

- (a) Commas repeated on the lattice (b) 3D translational periodic arrangement of points  
 (c) Geometric shapes of lattice (d) Centre of symmetry in lattice

**4. Statement 1 : Vortex formation can be minimized by push pull mechanism.**

**Statement 2 : Vortex formation reduces the mixing intensity by increasing the velocity of impeller.**

- (a) True, False (b) True, True (c) False, False (d) False, True

**5. Which of the following fluid can be considered as an ideal fluid?**

- (a) Viscous fluid (b) Non-viscous fluid (c) Compressible fluid (d) All of these

**6. Which of the following agencies is not classified as an 'executive agency' for administration of the act under the provision of Drugs and Cosmetics Act 1940?**

- (a) Licensing authority  
 (b) Drug inspectors  
 (c) Drugs Consultative Committee  
 (d) Customs collectors

**7. As per Factories Act 1948, in CHAPTER VI dealing with working hours of adults, no adult worker shall be required or allowed to work in a factory for more than \_\_\_\_\_ hours in a week.**

- (a) 30 (b) 40 (c) 48 (d) 56

**8. Henri Fayol's principle "Espirit de corps" means:-**

- (a) Corporate objective (b) Group objective (c) Team activity (d) Team spirit

**9. How customer's bias about the product will influence the marketing communication?**

(a) Positive effect (b) Negative effect (c) No effect  (d) Both positive and Negative

**10. Which of the following is not patentable in India as per The Patents Act 1970?**

- (a) New product
- (b) New process
- (c) New use of existing drug
- (d) New process for existing drug

**11. Match the following enzymes in Column I with their respective functions under Column II**

**Column I & Column II**

- |                            |   |
|----------------------------|---|
| i. DNA ligase              | (p) Synthesize a DNA copy of RNA                              |
| ii. Alkaline phosphatase   | (q) Forms a bond between 3' -OH and 5'-PO <sub>4</sub>        |
| iii. Reverse transcriptase | (r) Removes terminal PO <sub>4</sub> from 3' or 5' end of DNA |
| iv. Polynucleotide kinase  | (s) Adds phosphate to 5' -OH end                              |

(a) i-r, ii-s, iii-p, iv-q (b) i-p, ii-q, iii-r, iv-s  (c) i-q, ii-r, iii-p, iv-s (d) i-s, ii-p, iii-q, iv-r

**12. Which of the following replacement of amino acid in a protein may produce greatest change in its conformation?**

(a) Ser ----->Thr  (b) Glu ----->Val (c) Gln ----->Tyr (d) Phe ----->Ile

**13. The hexose monophosphate pathway produces distinctively two useful products. Identify these products with the ratio in which they are produced.**

- (a) One NADPH to two ribose-6-phosphate
- (b) Two NADPH to one ribose-5-phosphate
- (c) Two NADPH to one ribulose-5-phosphate
- (d) Two NADPH to one fructose-6-phosphate

**14. The correct statement about Vitamin D is:-**





- (a) The oral administration of 1, 25-dihydroxycholecalciferol is required in chronic renal failure
- (b) 25-Hydroxycholecalciferol is the active form of the vitamin
- (c) Vitamin D antagonizes the effects of parathyroid hormone
- (d) A deficiency of vitamin D causes an increase in calcitonin secretion

**15. All of the following enzymes are used in ELISA except:-**

- (a) Glucose oxidase
- (b) Alkaline phosphatase
- (c) Coagulase
- (d)  $\beta$ -galactosidase

**16. Which of the following equilibrium suggests noncompetitive inhibition of enzyme E for conversion of substrate S to product P with inhibitor I?**





17. Which method is used for the Limit test for arsenic?

- (a)  Gutzeit method  
 (b)  Oswald method  
 (c)  Arrhenius method  
 (d)  Karl-Fischer method

18. The agent used to prevent the dental carries is:-

- (a)  Sodium fluoride (b)  Strontium chloride (c)  Zinc chloride (d)  Dicalcium phosphate

19. Which of the following definitions of an asymmetric reaction is the most accurate?

- (a)  A reaction that creates a new chiral centre in the product  
 (b)  A reaction that involves a chiral reagent  
 (c)  A reaction which creates a new chiral centre with selectivity for one enantiomer/  
 diastereoisomer over another  
 (d)  A reaction that is carried out on an asymmetric starting material

20. What software programme is used to determine the Verloop steric parameter in QSAR?

- (a)  Alchemy (b)  Chem3D (c)  Sterimol (d)  Chem-Draw

21. The oral oligosaccharide hypoglycemic agent, which is administered at the start of the meal is:-

- (a)  Pioglitazone (b)  Miglitol (c)  Acarbose (d)  Glimepride

22. Which functional group is crucial for anti-malarial activity of artemisinin?

- (a)  Aldehydic functional group  
 (b)  Ethylene bridge  
 (c)  Ketonic functional group  
 (d)  Peroxide bridge

23. Select the drug which exhibits dual alpha and beta adrenergic receptor agonists activity.

- (a) Terbutaline (b) Clonidine (c) Metaproterenol (d)  Dobutamine

24. Appropriate hybridization schemes for the C atoms in molecule  $\text{CH}_3\text{CO}_2\text{H}$  are:-

- (a)  $\text{sp}^3$  and  $\text{sp}$  (b)   $\text{sp}^3$  and  $\text{sp}^2$  (c)  $\text{sp}^2$  and  $\text{sp}$  (d)  $\text{sp}^3$  and  $\text{sp}^3$

25. In Universal indicators, a pH of 7 is shown with:-

- (a) Yellow color (b)  Green color (c) Blue color (d) Pink color

26. Which statement regarding Hückel's rule is FALSE?

- (a)  There must be  $(4n + 2)$  pi (n) electrons  
(b) The molecule must be planar  
(c) The molecule must be cyclic  
(d) Each of the pi (n) electrons must be associated with a conjugated double bond

27. Anthracene is isomeric with:-

- (a) Phenanthrene (b)  Naphthalene (c) Benzene (d) Azulene





28. The molecular formula of phenanthrene is:-

- (a)   $\text{C}_{14}\text{H}_{10}$  (b)  $\text{C}_{12}\text{H}_{10}$  (c)  $\text{C}_{14}\text{H}_{14}$  (d)  $\text{C}_{14}\text{H}_8$


29. In electrophilic substitution of pyridine, reaction of pyridine with  $\text{H}_2\text{O}_2$  in acetic acid leads to formation of:-

- (a) 1,4-Dihydropyridine (b) 2-Hydroxypyridine (c) 2-Pyridone (d)  Pyridine-N-oxide

30. Which compound is most basic?



31. Correct Nomenclature for the following bridged bicyclic ring system is:-



- (a) bicyclo[4.4.0]decane  
(b) bicyclo[4.3.0]decane  
(c) bicyclo[4.3.1]decane  
(d)  bicyclo[4.4.1]decane

**32. Which among the following correctly defines Diastereomer?**

- (a) These have same magnitude but different signs of optical rotation  
 (b) Nonsuperimposable object mirror relationship  
 (c) These differ in all physical properties  
 (d) Separation is very difficult

**33. Galactose and Glucose are:-**

- (a) Epimers (b) Anomers (c) Isomers (d) Ketose-Aldose isomers

**34. Which among the following is a non-essential amino acid?**

- (a) Lysine (b) Threonine (c) Serine (d) Histidine

**35. Which of the following is a 3,3-sigmatropic reaction which converts a 1,5-diene to an isomeric 1,5 diene?**

- (a) Cope rearrangement  
 (b) Claisen rearrangement  
 (c) Photochemical [2+2] reaction  
 (d) Diels-Alder reaction

**36. What quantity of an indicator solution shall be added when quantity is not mentioned in an assay or test?**

- (a) 0.1 ml (b) 0.05 ml (c) 0.2 ml (d) 0.5 ml

**37. In Kjeldahl method, sample containing nitrogen is digested with \_\_\_\_\_.**

- (a) Concentrated sodium hydroxide  
 (b) Fuming nitric acid  
 (c) Concentrated sulphuric acid  
 (d) Strong ammonia solution

**38. What is the concentration of paracetamol in a 0.1 N sodium hydroxide solution, whose absorption in a 1 cm cell at its  $\lambda_{max}$ , 257 nm, was found to be 0.825? The A (1%, 1 cm) in the IP monograph of paracetamol is given as 715 at 257 nm**

- (a) 1.1 g/100 ml (b) 0.0011 mg/100 ml (c) 0.0011 g/100 ml (d) 0.0011  $\mu$ g/100 ml

**39. The unit for specific absorbance A (1%, 1cm) is:-**

- (a)  $\mu$ g/mL (b) mg/L (c) liter mole<sup>-1</sup> cm<sup>-1</sup> (d) dl g<sup>-1</sup> cm<sup>-1</sup>

**40. What is the nuclear magnetic resonance frequency of <sup>1</sup>H in a 7.05 Tesla magnetic field strength?**

- (a) 300.0 MHz (b) 200.0 MHz (c) 60.0 MHz (d) 100 MHz

**41. What is Hydrogen Deficiency Index (HDI) value for toluene?**

- (a) 1 (b) 2 (c) 3 (d) 4

**42. In NMR, the aromatic proton resonate in a characteristic narrow range at:-**

- (a)  $\delta$  6.5 -  $\delta$  8.0 (b)  $\delta$  11.0 -  $\delta$  12.0 (c)  $\delta$  2.0 -  $\delta$  4.0 (d)  $\delta$  0.7 -  $\delta$  1.3

**43. The difficulties of long elution time and poor resolution of complex mixtures are observed in elution analysis. These difficulties can be overcome by modification of elution analysis, known as:-**

- (a) Isocratic-elution analysis
- (b) Gradient-elution analysis
- ~~(c) Displacement analysis~~
- (d) Frontal analysis

**44. Materials whose consistency depends on the duration of shear, as well as on the rate of shear, exhibit:-**

- (a) Rheopexy
- ~~(b) Thixotropy~~
- (c) Viscoelasticity
- (d) Plasticity

**45. Which of the following solutions are more likely to have the same osmotic pressure? Solutions of:**

- (a) Diluted nonelectrolytes with the same molal concentration
- (b) Concentrated nonelectrolytes with the same molal concentration
- (c) Diluted electrolytes with the same molal concentration
- (d) Concentrated electrolytes with the same molal concentration

**46. Which statements are correct for the micelle formation?**

- (P) Micelles are dynamic structures that are continually formed and broken down in solution.
  - (Q) The typical micelle diameter is about 2–3  $\mu\text{m}$  and so they are visible under the light micro scope.
  - (R) Micelle formation is a spontaneous process.
  - (S) When the surfactant concentration is increased above the CMC, the number of micelles increases and the free surfactant concentration decreases below CMC.
- (a) P and Q (b) P and R (c) P and S (d) R and S


**47. Which equation is used to predict the stability of a drug product at room temperature from experiments at accelerated temperature?**

- (a) Higuchi equation
- (b) The Arrhenius' equation
- (c) Hildebrand equation
- (d) The Hixson-Crowell equation

**48. Which statement correctly describes Hess's Law?**

- (a) The enthalpy of all reactants in their standard states is defined as zero
- (b) Enthalpy changes can be calculated only if one or more of the reactants is/are element
- ~~(c) The enthalpy change of a reaction can be calculated only at 1 atm pressure and 25 °C~~
- (d) The enthalpy change of a reaction is independent of the route of reaction

**49. Identify the starting material A and B in the synthesis of Clomifene.**



- (a) Where A 4-hydroxy-benzophenone and B 2-diethylamino-ethyl chloride  
 (b) Where A 4-hydroxy benzaldehyde and B 4-methoxy aniline  
 (c) Where A 4-hydroxy-benzophenone and B 4-methoxy aniline  
 (d) Where A 4-hydroxy-benzophenone and B benzaldehyde

**50. The role of glutathione in tissues includes all except:-**

- (a) Participate in decomposition of hydrogen peroxide  
 (b) Participate in activation of methionine  
 (c) Participate in detoxification reactions  
 (d) Biologically active in oxidized form

**51. When  $K_e$  is constant and  $K_a$  is larger:-**

- (a)  $C_{max}$  is more and  $t_{max}$  is longer  
 (b)  $C_{max}$  is lesser and  $t_{max}$  is longer  
 (c)  $C_{max}$  is lesser and  $t_{max}$  is short  
 (d)  $C_{max}$  is more and  $t_{max}$  is short

**52. When considering drug delivery to the brain which of the following is false?**

- (a) The cells in the blood vessels that supply the brain are tightly connected which restricts drug absorption  
 (b) Only relatively small lipophilic molecules readily, passively diffuse in to the brain  
 (c) Drugs with a low log P value show improved passive diffusion into the brain (P: oil / water partition coefficient)  
 (d) Polar molecules can be taken up into the brain through active transport

**53. IVIVC utilizes the principles of statistical moment analysis:-**

- (a) Level A (b) Level B (c) Level C (d) Level D

**54. The systems that follows, Weibull Mathematical Model used to describe drug release kinetics are:-**

- (a) Swellable polymeric devices  
 (b) Diffusion matrix formulation  
 (c) Erodible matrix formulation  
 (d) Transdermal system

**55. Which method is used by pharmacists for complete blending of potent powders with large quantities of diluents?**

- (a) Spatulation (b) Levigation (c) Trituration (d) Geometric dilution

**56. Substance used to reduce friction during tablet compression and facilitate ejection of tablets from the die cavity is called as:-**

- (a) Lubricant (b) Glidant (c) Anti-adherent (d) Humectant

**57. What quantities of 95% v/v and 45% v/v alcohols are to be mixed to make 800 mL of 65% v/v alcohol?**

- (a) 480 mL of 95% and 320 mL of 45% alcohol  
(b) 320 mL of 95% and 480 mL of 45% alcohol  
(c) 440 mL of 95% and 360 mL of 45% alcohol  
(d) 360 mL of 95% and 440 mL of 45% alcohol

**58. The proportion of NaCl liquid to give 1.5% solution of drug isotonic with blood plasma is:- (The freezing point of 1% w/v solution of drug is -0.122 and NaCl is -0.576 °C)**

- (a) 0.79% (b) 0.585% (c) 0.9% (d) 0.5%

**59. Which of the following statement is NOT TRUE about prokaryotes?**

- (a) Nucleus is not bounded by nuclear membrane  
(b) Cell wall contains peptidoglycan  
(c) 80S ribosomes are distributed in cytoplasm  
(d) It is Haploid in nature

**60. Match the following diseases under column I with the respective causative organisms under Column II.**

Column I Column II

i. Creutzfeldt-Jacob disease p. Yersinia pestis

ii. Typhus q. Prions

iii. Syphilis r. Rickettsia prowazekii

iv. Plague s. Treponema palladium

- (a) i-r, ii-s, iii-p, iv-q (b) i-p, ii-q, iii-r, iv-s (c) i-q, ii-r, iii-s, iv-p (d) i-s, ii-p, iii-q, iv-r

**61. As the dielectric constant values increases, the polarity of the solvents \_\_\_\_\_.**

- (a) Decreases  
(b) Increases  
(c) Remains constant  
(d) Decreases and then remains constant

**62. The angle of repose is calculated by \_\_\_\_\_.**

- (a)  $\tan \alpha = \text{Radius/Height}$   
(b)  $\tan \alpha = 1 + \text{Radius/Height}$   
(c)  $\tan \alpha = 1 - \text{Radius/Height}$   
(d)  $\tan \alpha = \text{Height/Radius}$

**63. Spray drying / spray congealing method is generally used to prepare \_\_\_\_\_.**

- (a) Tablets (b) Microcapsules (c) Capsules (d) Ointments

**64. HLB value of tragacanth is:-**

- (a) 4.7 (b) 8.7 (c) 13.2 (d) 14.3

**65. Vials and bottles are regularly not subjected to following test:-**

- (a) Sterility test (b) Clarity test (c) Leaker (chamber) test (d) Pyrogen test

**66. As per USP, test limit for treated soda lime glass with container size of 200 ml is:-**

- (a) 0.70ml of 0.02N Acid  
(b) 1.0ml of 0.2N Acid  
(c) 0.20ml of 0.02N Acid  
(d) 0.70ml of 0.2N Acid

**67. In plasma, phenobarbital is present as ionized and unionized forms in equal amount because:-**

- (a) It is weakly acidic drug  
(b) It is weakly basic drug  
(c) pH of plasma is 6.8  
(d) pKa of the phenobarbital is 7.4

**68. A material which is insoluble and inert and used in matrix tablet formulation is:-**

- (a) Polyethylene (b) Stearyl alcohol (c) Polyethylene glycol (d) Triglycerides

**69. Which test is done for USP Type-I glass containers for injections?**

- (a) Water attack test  
(b) Powdered glass test  
(c) Powdered glass followed by water attack test  
(d) Water attack followed powdered glass test

**70. Isoelectric point of Type A gelatin is \_\_\_\_\_.**

- (a) pH 7.0 (b) pH 4.7 (c) pH 9.0 (d) pH 7.4

**71. What is the effective ratio of methyl paraben and propyl paraben for anti-microbial activity?**

- (a) 1:1 (b) 5:1 (c) 2.5:1 (d) 10:1

**72. Which of the following formula is used to determine shelf life as per first order reaction?**

- (a)  $t_{90} = 0.693/k$  (b)  $t_{90} = 0.104/k$  (c)  $t_{1/2} = 0.693/k$  (d)  $t_{1/2} = 0.105/k$

**73. Following are endogenous carriers use for targeted drug delivery except:-**

- (a) Lipoprotein (b) Serum Albumin (c) Erythrocyte (d) Microparticulates

**74. The friability issue of the tablet can be solved by different ways except:-**

- (a) Increasing the upper punch pressure of tablet machine  
(b) Addition of more tablet binder to granules  
(c) Increasing the moisture content of granules  
(d) Adjusting the lower punch pressure of tablet machine

**75. What are the specific surface per unit volume  $S_v$  of spherical particles with density of  $3 \text{ gm/cm}^3$  and volume surface diameter,  $d_{vs}$  of  $2.57 \mu\text{m}$ ?**

- (a)  $7.78 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (b)  $2.33 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (c)  $1.55 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (d)  $1.00 \times 10^3 \text{ cm}^2/\text{cm}^3$

**76. In a free-flowing powder, the bulk density and tapped density would be close in value, therefore, the Carr index would be :-**

- (a) Small (b) Medium (c) Large (d) None

**77. Buffer capacity is also referred to as :-**

- (a) Buffer index (b) Buffer value (c) Buffer efficiency (d) All of these

**78. Keesom interactions has a force of :-**

- (a)  $0.5-1 \text{ kcal/mol}$  (b)  $1-7 \text{ kcal/mol}$  (c)  $1-3 \text{ kcal/mol}$  (d) None of these

**79. Dipole - induced dipoles are also known as :-**

- (a) London forces (b) Keesom forces (c) Debye forces (d) Hydrogen bonding

**80. The interfacial tension of Oleic acid against water at  $20^\circ\text{C}$  is:-**

- (a) 15.6 (b) 52.3 (c) 428 (d) 8.51

**81. Suspensions of starch in water exhibit:-**

- (a) Plastic flow (b) Pseudoplastic flow (c) Dilatant flow (d) None of these

**82. Very weak bases having  $\text{pK}_a < 5$ :-**

- (a) Are ionized in the entire pH range of GIT
- (b) Absorbed only in stomach
- (c) Are unionized at all pH values
- (d) None of these

**83. During determination of absorption rate constant by method of residual, flip-flop phenomenon occurs when ( $K_a$  absorption rate constant and  $K_E$  overall elimination rate constant).**

- (a)  $K_E / K_a \geq 3$  (b)  $K_a / K_E \geq 3$  (c)  $K_E / K_a \leq 3$  (d)  $K_a / K_E \leq 3$

**84. Which of the following disinfectant effectively destroys vegetative bacterial cells including Gram positive and Gram negative bacteria, bacterial endospores, fungi, and viruses?**

- (a) 8% formaldehyde + 70% alcohol (b) 70% Alcohol
- (c) 0.1% Phenol aqueous (d) 0.1% Iodine aqueous

**85. Which of the following are obligatory intracellular parasites?**

- (P) Virus (Q) Fungus (R) Mycobacterium (S) Rickettsia
- (a) all (b) (P), (Q) and (R) (c) (R) and (S) (d) (P) and (S)

**86. Select the correct statement.**

- (a) Acids salt corresponding to an insoluble salt will be more water soluble than original salt
- (b) Hydroxides and oxides of compounds other than alkali metal cations and the common ions



are generally water soluble

- (c) Sulphides are water soluble except for their alkali metal salts  
(d) Ammonium and Quaternary ammonium salts are water insoluble

**= 1.0 cP) with the 200mL of liquid B ( $\eta=3.4$  cP)?  $\eta$ 87. What is the viscosity of resulting liquid after mixing 300mL of liquid A (**

- (a) 2.2 cP (b) 1.4 cP (c) 1.6 cP (d) 1.8 cP

**88. A compound now increasingly used as standard practice for enhancing the flow of rubber latex by spraying on to the scraped bark of the rubber tree increasing the latex yields from 36% to 130% is:-**

- (a) Brassinosteroids (b) Abscisic acid (c) Ethephon (d) Kinetin

**89. The constituent of Cochineal is:-**

- (a) Cantharidin (b) Hirudin (c) Tannic acid (d) Carminic acid

**90. The sweet taste and odour of fennel is due to:-**

- (a) Anethole (b) Fenchone (c) Eugenol (d) Phellandrene

**91. Catechu is used in medicine as an:-**

- (a) Antidiabetic (b) Anti cancer (c) Antipyretic (d) Astringent

**92. Tropane alkaloids are biosynthesized from \_\_\_\_\_ amino acid.**

- (a) Phenylalanine (b) Tyrosine (c) Ornithine (d) Leucine

**93. One mg of Lycopodium contains an average of:-**

- (a) 97000 spores (b) 96000 spores (c) 95000 spores (d) 94000 spores

**94. Charaka, a physician belonged to which system of medicine?**

- (a) Ayurveda (b) Unani (c) Siddha (d) Homeopathy

**95. The CCCN code indicating the botanical drugs is:-**

- (a) 2211 (b) 1122 (c) 1211 (d) 1311

**96. Uncaria gambir belongs to the family:-**

- (a) Rubiaceae (b) Combretaceae (c) Punicaceae (d) Rosaceae

**97. Alkanna tinctoria (Boraginaceae) roots are used in:-**

- (a) Dandruff  
(b) Tooth paste  
(c) Facial cleansing wash  
(d) Lipstick formulations and hair dyes

**98. Identify the clotting factor which is known as Stuart factor or thrombokinase.**

- (a) Clotting factor - IV  
(b) Clotting factor - VIII  
(c) Clotting factor - X  
(d) Clotting factor - XII

**99. Which part of the eye is light sensitive (photosensitive)?**

- (a) Iris (b) Sclera (c) Lens (d) Retina

**100. Identify the specific site where maturation of sperm takes place.**

- (a) Spermatic cord (b) Epididymis (c) Testis (d) Vas deference

**101. Identify the hormone that stimulates sperm production in testes and ovulation in females.**

- (a) Prolactin  
(b) Luteinising hormone  
(c) Follicle stimulating hormone  
(d) Adrenocorticotropic hormone

**102. Identify the correct pair from the following:-**

- (a) Sympathetic stimulation: Bronchoconstriction  
(b) Parasympathetic stimulation: Secretion of gastric juice  
(c) Sympathetic stimulation: Contraction of pupil  
(d) Parasympathetic stimulation: Dilatation of pupil

**103. The number of subjects required in a phase 1 clinical trial is:-**

- (a) 20 to 100  
(b) Upto several hundred  
(c) 300 to 3,000  
(d) Several thousands

**104. To obtain a more effective bronchodilation, the drugs that are combined along with beta-adrenoceptor agonists are:-**

- (a) Cholinergic antagonists  
(b) Cholinergic agonists  
(c) Beta-adrenoceptor antagonists  
(d) Alpha-adrenoceptor antagonists

**105. Which of the following antipsychotic drugs, at low doses, is combined with antidepressants in treatment-resistant depression?**

- (a) Chlorpromazine (b) Haloperidol (c) Risperidone (d) Fluphenazine

**106. The management of Type-B adverse drug reaction is:-**

- (a) To reduce the dose (b) To withhold the dose and avoid in future  
(c) To increase the dose (d) To reintroduce and withdraw slowly

**107. Abatacept, a fusion protein, and a co-stimulation blocker used in the treatment of Rheumatoid arthritis blocks the:-**

- (a) Activation of T-cells  
(b) Inhibition of T-cells  
(c) Activation of B-cells  
(d) Inhibition of B-cells

**108. Hemophilia A is a disease characterized by deficiency of:-**

- (a) Factor VIII (b) Factor II (c) Factor VII (d) Factor V

**109. The enzyme HMG-CoA reductase is involved in the pathogenesis of:-**

- (a) Atherosclerosis

- (b) Renal failure
- (c) Alzheimer disease
- (d) Parkinson disease

**110. Rheumatic heart disease is caused by:-**

- (a) Streptococcal infection
- (b) Excessive lipid consumption
- (c) Abnormal lipid metabolism
- (d) Atherosclerosis

**111. Which of the following is NOT a gene associated with breast cancer?**

- (a) BRCA1 (b) HER2 (c) BRCA2 (d) CHRM1

**112. Which of the following is NOT true about the Ebola Virus Disease (EVD)?**

- (a) Spreads through human-to-human transmission via direct contact
- (b) Antiviral drugs are approved by FDA to mitigate the infection
- (c) Diagnostic tests include ELISA
- (d) The virus is named after a river

**113. Hypodermoclysis refers to which route of drug administration?**

- (a) Sublingual (b) Intradermal (c) Subcutaneous (d) Intravenous

**114. Which of the following is a shortest acting cholinesterase inhibitors enlisted below?**

- (a) Neostigmine  (b) Pyridostigmine (c) Edrophonium (d) Physostigmine

**115. Which of the following is a suitable antidote for mercury poisoning?**

- (a) Atropine  (b) Dimercaprol (c) Naloxone (d) Nalorphine

**116. Histamine concentration is highest in:-**

- (a) Beta cells  (b) Mast cells (c) Lymphocytes (d) Adipocytes

**117. Select the  $\beta$ -lactamase inhibitor.**

- (a) Griseofulvin  (b) Clavulanic acid (c) Sulfamethoxazole (d) Tetracycline

**118. The mechanism of action of ciprofloxacin is:-**

- (a) Inhibition of protein synthesis by interacting with 30s ribosome
- (b) Inhibition of protein synthesis by interacting with 50s ribosomes
- (c) Inhibition of DNA synthesis by interacting with topoisomerase
- (d) Inhibition of cell wall synthesis

**119. Which of the following is NOT CORRECT for myasthenia gravis?**

- (a) Down regulation of nicotinic receptors (Nm) leads to myasthenia gravis
- (b) Tubocurarine is used to treat myasthenia gravis
- (c) It is an autoimmune disorder
- (d) Thymectomy is treatment option for myasthenia gravis

**120. Which of the following describes the effect of Sodium cromoglycate?**

- (a) Mast cell degranulation

- (b) Mast cell stabilization
- (c) Leukotriene antagonism
- (d) Glucocorticoid receptor agonism

**121. Which of the following side effect of ACE inhibitors result from inhibition of bradykinin breakdown?**

- (a) Analgesia
- (b) Hyperglycaemia
- (c) Productive cough
- (d) Dry cough

**122. Identify antihistamine drug with additional serotonin receptor blocking activity and good appetite stimulant property.**

- (a) Cyproheptadine
- (b) Cimetidine
- (c) Ranitidine
- (d) Chlorpheniramine

**123. Which of the following are the mechanisms of action of digitalis glycosides?**

- i. Inhibition of  $\text{Na}^+\text{-K}^+$  ATPase enzyme.
  - ii. Reduction in the auriculo-ventricular conduction rate.
  - iii. Increase in the cardiac output.
  - iv. Acceleration of auriculo-ventricular conduction rate.
- (a) Only iii (b) i, ii and iii (c) ii, iii and iv (d) Only i

**124. The following is NOT true for Furosemide:-**

- (a) Causes hypokalemia
- (b) Causes hypouricemia
- (c) Causes hypomagnesemia
- (d) Acts by inhibiting sodium reabsorption

**125. Which of the following about the Varicella-Zoster Virus (VZV) is NOT true?**

- (a) Varicella develops after an individual is exposed to VZV for the first time
- (b) Herpes zoster develops from reactivation of the virus later in life
- (c) There are no vaccines for this virus
- (d) The infection results in post-herpetic neuralgia

70

PSG College of Pharmacy  
PSGCP HD Academy  
Model Question paper-1

**1. A technique of using very small metal particles coated with desired DNA in the gene transfer is called:-**

- (a) Microinjection (b) Biolistic (c) Liposome mediated (d) Electroporation

**2. Arrange the following steps in sequence of their order for production of recombinant Insulin:-**

- A. Fusion of A and B chains for disulphide bond.  
B. Cynogen bromide treatment to remove methi onine and â galactosidase.  
C. Introduction of A and B chain in the plasmid containing â galactosidase g ene.

- D. Synthesis of A and B chain in E coli.

c - d - b - a

**3. Motif is represented by:-**

- (a) Commas repeated on the lattice (b) 3D translational periodic arrangement of points  
(c) Geometric shapes of lattice (d) Centre of symmetry in lattice

**4. Statement 1 : Vortex formation can be minimized by push pull mechanism.**

**Statement 2 : Vortex formation reduces the mixing intensity by increasing the velocity of impeller.**

- (a)  True, False (b) True, True (c) False, False (d) False, True

**5. Which of the following fluid can be considered as an ideal fluid?**

- (a) Viscous fluid (b)  Non-viscous fluid (c) Compressible fluid (d) All of these

**6. Which of the following agencies is not classified as an 'executive agency' for administration of the act under the provision of Drugs and Cosmetics Act 1940?**

- (a) Licensing authority  
(b) Drug inspectors  
(c)  Drugs Consultative Committee  
(d) Customs collectors

**7. As per Factories Act 1948, in CHAPTER VI dealing with working hours of adults, no adult worker shall be required or allowed to work in a factory for more than \_\_\_\_\_ hours in a week.**

- (a) 30 (b) 40 (c) 48 (d)  56

**8. Henri Fayol's principle "Espirit de corps" means:-**

- (a) Corporate objective (b) Group objective (c) Team activity (d)  Team spirit

**9. How customer's bias about the product will influence the marketing communication?**

(a) Positive effect (b) Negative effect (c) No effect (d) Both positive, and Negative

**10. Which of the following is not patentable in India as per The Patents Act 1970?**

- (a) New product
- (b) New process
- (c) New use of existing drug
- (d) New process for existing drug

**11. Match the following enzymes in Column I with their respective functions under Column II**

**Column I & Column II**

- |                            |   |
|----------------------------|---|
| i. DNA ligase              | (p) Synthesize a DNA copy of RNA                              |
| ii. Alkaline phosphatase   | (q) Forms a bond between 3' -OH and 5'-PO <sub>4</sub>        |
| iii. Reverse transcriptase | (r) Removes terminal PO <sub>4</sub> from 3' or 5' end of DNA |
| iv. Polynucleotide kinase  | (s) Adds phosphate to 5' -OH end                              |

(a) i-r, ii-s, iii-p, iv-q (b) i-p, ii-q, iii-r, iv-s (c) i-q, ii-r, iii-p, iv-s (d) i-s, ii-p, iii-q, iv-r

**12. Which of the following replacement of amino acid in a protein may produce greatest change in its conformation?**

- (a) Ser ----->Thr (b) Glu ----->Val (c) Gln ----->Tyr (d) Phe ----->Ile

**13. The hexose monophosphate pathway produces distinctively two useful products. Identify these products with the ratio in which they are produced.**

- (a) One NADPH to two ribose-6-phosphate (b) Two NADPH to one ribose-5-phosphate  
(c) Two NADPH to one ribulose-5-phosphate (d) Two NADPH to one fructose-6-phosphate





**14. The correct statement about Vitamin D is:-**

- (a) The oral administration of 1, 25-dihydroxycholecalciferol is required in chronic renal failure
- (b) 25-Hydroxycholecalciferol is the active form of the vitamin
- (c) Vitamin D antagonizes the effects of parathyroid hormone
- (d) A deficiency of vitamin D causes an increase in calcitonin secretion

**15. All of the following enzymes are used in ELISA except:-**

- (a) Glucose oxidase (b) Alkaline phosphatase (c) Coagulase (d)  $\beta$ -galactosidase

**16. Which of the following equilibrium suggests noncompetitive inhibition of enzyme E for conversion of substrate S to product P with inhibitor I?**



**17. Which method is used for the Limit test for arsenic?**

- (a)  Gutzeit method  
 (b)  Oswald method  
 (c)  Arrhenius method  
 (d)  Karl-Fischer method

**18. The agent used to prevent the dental carries is:-**

- (a)  Sodium fluoride (b)  Strontium chloride (c)  Zinc chloride (d)  Dicalcium phosphate

**19. Which of the following definitions of an asymmetric reaction is the most accurate?**

- (a)  A reaction that creates a new chiral centre in the product  
 (b)  A reaction that involves a chiral reagent  
 (c)  A reaction which creates a new chiral centre with selectivity for one enantiomer/  
 diastereoisomer over another  
 (d)  A reaction that is carried out on an asymmetric starting material

**20. What software programme is used to determine the Verloop steric parameter in QSAR?**

- (a)  Alchemy (b)  Chem3D (c)  Sterimol (d)  Chem-Draw

**21. The oral oligosaccharide hypoglycemic agent, which is administered at the start of the meal is:-**

- (a)  Pioglitazone (b)  Miglitol (c)  Acarbose (d)  Glimepride

**22. Which functional group is crucial for anti-malarial activity of artemisinin?**

- (a)  Aldehydic functional group  
 (b)  Ethylene bridge  
 (c)  Ketonic functional group  
 (d)  Peroxide bridge

23. Select the drug which exhibits dual alpha and beta adrenergic receptor agonists activity.

- (a) Terbutaline (b) Clonidine (c) Metaproterenol (d)  Dobutamine

24. Appropriate hybridization schemes for the C atoms in molecule  $\text{CH}_3\text{CO}_2\text{H}$  are:-

- (a)  $\text{sp}^3$  and  $\text{sp}$  (b)   $\text{sp}^3$  and  $\text{sp}^2$  (c)  $\text{sp}^2$  and  $\text{sp}$  (d)  $\text{sp}^3$  and  $\text{sp}^3$

25. In Universal indicators, a pH of 7 is shown with:-

- (a) Yellow color (b)  Green color (c) Blue color (d) Pink color

26. Which statement regarding Hückel's rule is FALSE?

- (a) There must be  $(4n + 2)$  pi ( $n$ ) electrons  
(b) The molecule must be planar  
(c) The molecule must be cyclic  
(d)  Each of the pi ( $n$ ) electrons must be associated with a conjugated double bond

27. Anthracene is isomeric with:-

- (a)  Phenanthrene (b) Naphthalene (c) Benzene (d) Azulene





28. The molecular formula of phenanthrene is:-

- (a)   $\text{C}_{14}\text{H}_{10}$  (b)  $\text{C}_{12}\text{H}_{10}$  (c)  $\text{C}_{14}\text{H}_{14}$  (d)  $\text{C}_{14}\text{H}_8$


29. In electrophilic substitution of pyridine, reaction of pyridine with  $\text{H}_2\text{O}_2$  in acetic acid leads to formation of:-

- (a)  1,4-Dihydropyridine (b) 2-Hydroxypyridine (c) 2-Pyridone (d) Pyridine-N-oxide

30. Which compound is most basic?



31. Correct Nomenclature for the following bridged bicyclic ring system is:-



- (a) bicyclo[4.4.0]decane  
(b) bicyclo[4.3.0]decane  
(c)  bicyclo[4.3.1]decane  
(d) bicyclo[4.4.1]decane



**32. Which among the following correctly defines Diastereomer?**

- (a) These have same magnitude but different signs of optical rotation  
 (b) Nonsuperimposable object mirror relationship  
 (c) These differ in all physical properties  
 (d) Separation is very difficult

**33. Galactose and Glucose are:-**

- (a) Epimers (b) Anomers (c) Isomers (d) Ketose-Aldose isomers

**34. Which among the following is a non-essential amino acid?**

- (a) Lysine (b) Threonine (c) Serine (d) Histidine

**35. Which of the following is a 3,3-sigmatropic reaction which converts a 1,5-diene to an isomeric 1,5 diene?**

- (a) Cope rearrangement  
 (b) Claisen rearrangement  
 (c) Photochemical [2+2] reaction  
 (d) Diels-Alder reaction

**36. What quantity of an indicator solution shall be added when quantity is not mentioned in an assay or test?**

- (a) 0.1 ml (b) 0.05 ml (c) 0.2 ml (d) 0.5 ml

**37. In Kjeldahl method, sample containing nitrogen is digested with \_\_\_\_\_.**

- (a) Concentrated sodium hydroxide  
 (b) Fuming nitric acid  
 (c) Concentrated sulphuric acid  
 (d) Strong ammonia solution

**38. What is the concentration of paracetamol in a 0.1 N sodium hydroxide solution, whose absorption in a 1 cm cell at its  $\lambda_{max}$ , 257 nm, was found to be 0.825? The A (1%, 1 cm) in the IP monograph of paracetamol is given as 715 at 257 nm**

- (a) 1.1 g/100 ml (b) 0.0011 mg/100 ml (c) 0.0011 g/100 ml (d) 0.0011  $\mu$ g/100 ml

**39. The unit for specific absorbance A (1%, 1cm) is:-**

- (a)  $\mu$ g/mL (b) mg/L (c) liter mole<sup>-1</sup> cm<sup>-1</sup> (d) dl g<sup>-1</sup> cm<sup>-1</sup>

**40. What is the nuclear magnetic resonance frequency of <sup>1</sup>H in a 7.05 Tesla magnetic field strength?**

- (a) 300.0 MHz (b) 200.0 MHz (c) 60.0 MHz (d) 100 MHz

**41. What is Hydrogen Deficiency Index (HDI) value for toluene?**

- (a) 1 (b) 2 (c) 3 (d) 4

**42. In NMR, the aromatic proton resonate in a characteristic narrow range at:-**

- (a)  $\delta$  6.5 –  $\delta$  8.0 (b)  $\delta$  11.0 –  $\delta$  12.0 (c)  $\delta$  2.0 –  $\delta$  4.0 (d)  $\delta$  0.7 –  $\delta$  1.3

**43. The difficulties of long elution time and poor resolution of complex mixtures are observed in elution analysis. These difficulties can be overcome by modification of elution analysis, known as:-**

- (a) Isocratic-elution analysis
- (b) Gradient-elution analysis
- (c) Displacement analysis
- (d) Frontal analysis

**44. Materials whose consistency depends on the duration of shear, as well as on the rate of shear, exhibit:-**

- (a) Rheopexy (b) Thixotropy (c) Viscoelasticity (d) Plasticity

**45. Which of the following solutions are more likely to have the same osmotic pressure? Solutions of:**

- (a) Diluted nonelectrolytes with the same molal concentration
- (b) Concentrated nonelectrolytes with the same molal concentration
- (c) Diluted electrolytes with the same molal concentration
- (d) Concentrated electrolytes with the same molal concentration

**46. Which statements are correct for the micelle formation?**

- (P) Micelles are dynamic structures that are continually formed and broken down in solution.
  - (Q) The typical micelle diameter is about 2–3  $\mu\text{m}$  and so they are visible under the light micro scope.
  - (R) Micelle formation is a spontaneous process.
  - (S) When the surfactant concentration is increased above the CMC, the number of micelles increases and the free surfactant concentration decreases below CMC.
- (a) P and Q (b) P and R (c) P and S (d) R and S


**47. Which equation is used to predict the stability of a drug product at room temperature from experiments at accelerated temperature?**

- (a) Higuchi equation (b) The Arrhenius' equation
- (c) Hildebrand equation (d) The Hixson-Crowell equation

**48. Which statement correctly describes Hess's Law?**

- (a) The enthalpy of all reactants in their standard states is defined as zero
- (b) Enthalpy changes can be calculated only if one or more of the reactants is/are element
- (c) The enthalpy change of a reaction can be calculated only at 1 atm pressure and 25 °C
- (d) The enthalpy change of a reaction is independent of the route of reaction

**49. Identify the starting material A and B in the synthesis of Clomifene.**



- (a) Where A 4-hydroxy-benzophenone and B 2-diethylamino-ethyl chloride
- (b) Where A 4-hydroxy benzaldehyde and B 4-methoxy aniline
- (c) Where A 4-hydroxy-benzophenone and B 4-methoxy aniline
- (d) Where A 4-hydroxy-benzophenone and B benzaldehyde

**50. The role of glutathione in tissues includes all except:-**

- (a) Participate in decomposition of hydrogen peroxide
- (b) Participate in activation of methionine
- (c) Participate in detoxification reactions
- (d) Biologically active in oxidized form

**51. When  $K_e$  is constant and  $K_a$  is larger:-**

- (a)  $C_{max}$  is more and  $t_{max}$  is longer
- (b)  $C_{max}$  is lesser and  $t_{max}$  is longer
- (c)  $C_{max}$  is lesser and  $t_{max}$  is short
- (d)  $C_{max}$  is more and  $t_{max}$  is short

**52. When considering drug delivery to the brain which of the following is false?**

- (a) The cells in the blood vessels that supply the brain are tightly connected which restricts drug absorption
- (b) Only relatively small lipophilic molecules readily, passively diffuse in to the brain
- (c) Drugs with a low log P value show improved passive diffusion into the brain (P: oil / water partition coefficient)
- (d) Polar molecules can be taken up into the brain through active transport

**53. IVIVC utilizes the principles of statistical moment analysis:-**

- (a) Level A (b) Level B (c) Level C (d) Level D

**54. The systems that follows, Weibull Mathematical Model used to describe drug release kinetics are:-**

- (a) Swellable polymeric devices
- (b) Diffusion matrix formulation
- (c) Erodible matrix formulation
- (d) Transdermal system

**55. Which method is used by pharmacists for complete blending of potent powders with large quantities of diluents?**

- (a) Spatulation (b) Levigation (c) Trituration (d) Geometric dilution

**56. Substance used to reduce friction during tablet compression and facilitate ejection of tablets from the die cavity is called as:-**

- (a) Lubricant (b) Glidant (c) Anti-adherent (d) Humectant

**57. What quantities of 95% v/v and 45% v/v alcohols are to be mixed to make 800 mL of 65% v/v alcohol?**

- (a) 480 mL of 95% and 320 mL of 45% alcohol  
(b) 320 mL of 95% and 480 mL of 45% alcohol  
(c) 440 mL of 95% and 360 mL of 45% alcohol  
(d) 360 mL of 95% and 440 mL of 45% alcohol

**58. The proportion of NaCl liquid to give 1.5% solution of drug isotonic with blood plasma is:- (The freezing point of 1% w/v solution of drug is  $-0.122$  and NaCl is  $-0.576$  °C)**

- (a) 0.79% (b) 0.585% (c) 0.9% (d) 0.5%

**59. Which of the following statement is NOT TRUE about prokaryotes?**

- (a) Nucleus is not bounded by nuclear membrane  
(b) Cell wall contains peptidoglycan  
(c) 80S ribosomes are distributed in cytoplasm  
(d) It is Haploid in nature

**60. Match the following diseases under column I with the respective causative organisms under Column II.**

Column I Column II

i. Creutzfeldt-Jacob disease p. Yersinia pestis

ii. Typhus q. Prions

iii. Syphilis r. Rickettsia prowazekii

iv. Plague s. Treponema palladium

- (a) i-r, ii-s, iii-p, iv-q (b) i-p, ii-q, iii-r, iv-s (c) i-q, ii-r, iii-s, iv-p (d) i-s, ii-p, iii-q, iv-r

**61. As the dielectric constant values increases, the polarity of the solvents \_\_\_\_\_.**

- (a) Decreases  
(b) Increases  
(c) Remains constant  
(d) Decreases and then remains constant

**62. The angle of repose is calculated by \_\_\_\_\_.**

- (a)  $\tan \alpha = \text{Radius/Height}$   
(b)  $\tan \alpha = 1 + \text{Radius/Height}$   
(c)  $\tan \alpha = 1 - \text{Radius/Height}$   
(d)  $\tan \alpha = \text{Height/Radius}$

**63. Spray drying / spray congealing method is generally used to prepare \_\_\_\_\_.**

- (a) Tablets (b) Microcapsules (c) Capsules (d) Ointments

**64. HLB value of tragacanth is:-**

- (a) 4.7 (b) 8.7 (c) 13.2 (d) 14.3

**65. Vials and bottles are regularly not subjected to following test:-**

- (a) Sterility test (b) Clarity test (c) Leaker (chamber) test (d) Pyrogen test

**66. As per USP, test limit for treated soda lime glass with container size of 200 ml is:-**

- (a) 0.70ml of 0.02N Acid  
(b) 1.0ml of 0.2N Acid  
(c) 0.20ml of 0.02N Acid  
(d) 0.70ml of 0.2N Acid

**67. In plasma, phenobarbital is present as ionized and unionized forms in equal amount because:-**

- (a) It is weakly acidic drug  
(b) It is weakly basic drug  
(c) pH of plasma is 6.8  
(d) pKa of the phenobarbital is 7.4

**68. A material which is insoluble and inert and used in matrix tablet formulation is:-**

- (a) Polyethylene (b) Stearyl alcohol (c) Polyethylene glycol (d) Triglycerides

**69. Which test is done for USP Type-I glass containers for injections?**

- (a) Water attack test  
(b) Powdered glass test  
(c) Powdered glass followed by water attack test  
(d) Water attack followed powdered glass test

**70. Isoelectric point of Type A gelatin is \_\_\_\_\_.**

- (a) pH 7.0 (b) pH 4.7 (c) pH 9.0 (d) pH 7.4

**71. What is the effective ratio of methyl paraben and propyl paraben for anti-microbial activity?**

- (a) 1:1 (b) 5:1 (c) 2.5:1 (d) 10:1

**72. Which of the following formula is used to determine shelf life as per first order reaction?**

- (a)  $t_{90} = 0.693/k$  (b)  $t_{90} = 0.104/k$  (c)  $t_{1/2} = 0.693/k$  (d)  $t_{1/2} = 0.105/k$

**73. Following are endogenous carriers use for targeted drug delivery except:-**

- (a) Lipoprotein (b) Serum Albumin (c) Erythrocyte (d) Microparticulates

**74. The friability issue of the tablet can be solved by different ways except:-**

- (a) Increasing the upper punch pressure of tablet machine  
(b) Addition of more tablet binder to granules  
(c) Increasing the moisture content of granules  
(d) Adjusting the lower punch pressure of tablet machine

75. What are the specific surface per unit volume  $S_v$  of spherical particles with density of  $3 \text{ gm/cm}^3$  and volume surface diameter,  $d_{vs}$  of  $2.57 \mu\text{m}$ ?

- (a)  $7.78 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (b)  $2.33 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (c)  $1.55 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (d)  $1.00 \times 10^3 \text{ cm}^2/\text{cm}^3$

76. In a free-flowing powder, the bulk density and tapped density would be close in value, therefore, the Carr index would be :-

- (a) Small (b) Medium (c) Large (d) None

77. Buffer capacity is also referred to as :-

- (a) Buffer index (b) Buffer value (c) Buffer efficiency (d) All of these

78. Keesom interactions has a force of :-

- (a) 0.5- 1 kcal/mol (b) 1-7 kcal/mol (c) 1-3 kcal/mol (d) None of these

79. Dipole - induced dipoles are also known as :-

- (a) London forces (b) Keesom forces (c) Debye forces (d) Hydrogen bonding

80. The interfacial tension of Oleic acid against water at  $20^\circ\text{C}$  is:-

- (a) 15.6 (b) 52.3 (c) 428 (d) 8.51

81. Suspensions of starch in water exhibit:-

- (a) Plastic flow (b) Pseudoplastic flow (c) Dilatant flow (d) None of these

82. Very weak bases having  $\text{pK}_a < 5$ :-

- (a) Are ionized in the entire pH range of GIT
- (b) Absorbed only in stomach
- (c) Are unionized at all pH values
- (d) None of these

83. During determination of absorption rate constant by method of residual, flip-flop phenomenon occurs when ( $K_a$  absorption rate constant and  $K_E$  overall elimination rate constant).

- (a)  $K_E / K_a \geq 3$  (b)  $K_a / K_E \geq 3$  (c)  $K_E / K_a \leq 3$  (d)  $K_a / K_E \leq 3$

84. Which of the following disinfectant effectively destroys vegetative bacterial cells including Gram positive and Gram negative bacteria, bacterial endospores, fungi, and viruses?

- (a) 8% formaldehyde + 70% alcohol (b) 70% Alcohol
- (c) 0.1% Phenol aqueous (d) 0.1% Iodine aqueous

85. Which of the following are obligatory intracellular parasites?

- (P) Virus (Q) Fungus (R) Mycobacterium (S) Rickettsia
- (a) all (b) (P), (Q) and (R) (c) (R) and (S) (d) (P) and (S)

86. Select the correct statement.

- (a) Acids salt corresponding to an insoluble salt will be more water soluble than original salt
- (b) Hydroxides and oxides of compounds other than alkali metal cations and the common ions

are generally water soluble

(c) Sulphides are water soluble except for their alkali metal salts

(d) Ammonium and Quaternary ammonium salts are water insoluble

**= 1.0 cP) with the 200mL of liquid B ( $\eta = 3.4$  cP)?  $\eta$  87. What is the viscosity of resulting liquid after mixing 300mL of liquid A (**

(a) 2.2 cP (b) 1.4 cP (c) 1.6 cP (d) 1.8 cP

**88. A compound now increasingly used as standard practice for enhancing the flow of rubber latex by spraying on to the scraped bark of the rubber tree increasing the latex yields from 36% to 130% is:-**

(a) Brassinosteroids (b) Abscisic acid (c) Ethephon (d) Kinetin

**89. The constituent of Cochineal is:-**

(a) Cantharidin (b) Hirudin (c) Tannic acid (d) Carminic acid

**90. The sweet taste and odour of fennel is due to:-**

(a) Anethole (b) Fenchone (c) Eugenol (d) Phellandrene

**91. Catechu is used in medicine as an:-**

(a) Antidiabetic (b) Anti cancer (c) Antipyretic (d) Astringent

**92. Tropane alkaloids are biosynthesized from \_\_\_\_\_ amino acid.**

(a) Phenylalanine (b) Tyrosine (c) Ornithine (d) Leucine

**93. One mg of Lycopodium contains an average of:-**

(a) 97000 spores (b) 96000 spores (c) 95000 spores (d) 94000 spores

**94. Charaka, a physician belonged to which system of medicine?**

(a) Ayurveda (b) Unani (c) Siddha (d) Homeopathy

**95. The CCCN code indicating the botanical drugs is:-**

(a) 2211 (b) 1122 (c) 1211 (d) 1311

**96. Uncaria gambir belongs to the family:-**

(a) Rubiaceae (b) Combretaceae (c) Punicaceae (d) Rosaceae

**97. Alkanna tinctoria (Boraginaceae) roots are used in:-**

(a) Dandruff

(b) Tooth paste

(c) Facial cleansing wash

(d) Lipstick formulations and hair dyes

**98. Identify the clotting factor which is known as Stuart factor or thrombokinase.**

(a) Clotting factor - IV

(b) Clotting factor - VIII

(c) Clotting factor - X

(d) Clotting factor - XII

**99. Which part of the eye is light sensitive (photosensitive)?**

(a) Iris (b) Sclera (c) Lens (d) Retina

**100. Identify the specific site where maturation of sperm takes place.**

- (a) Spermatic cord (b) Epididymis (c) Testis (d) Vas deference

**101. Identify the hormone that stimulates sperm production in testes and ovulation in females.**

- (a) Prolactin  
(b) Luteinising hormone  
(c) Follicle stimulating hormone  
(d) Adrenocorticotrophic hormone

**102. Identify the correct pair from the following:-**

- (a) Sympathetic stimulation: Bronchoconstriction  
(b) Parasympathetic stimulation: Secretion of gastric juice  
(c) Sympathetic stimulation: Contraction of pupil  
(d) Parasympathetic stimulation: Dilatation of pupil

**103. The number of subjects required in a phase 1 clinical trial is:-**

- (a) 20 to 100  
(b) Upto several hundred  
(c) 300 to 3,000  
(d) Several thousands

**104. To obtain a more effective bronchodilation, the drugs that are combined along with beta-adrenoceptor agonists are:-**

- (a) Cholinergic antagonists  
(b) Cholinergic agonists  
(c) Beta-adrenoceptor antagonists  
(d) Alpha-adrenoceptor antagonists

**105. Which of the following antipsychotic drugs, at low doses, is combined with antidepressants in treatment-resistant depression?**

- (a) Chlorpromazine (b) Haloperidol (c) Risperidone (d) Fluphenazine

**106. The management of Type-B adverse drug reaction is:-**

- (a) To reduce the dose (b) To withhold the dose and avoid in future  
(c) To increase the dose (d) To reintroduce and withdraw slowly

**107. Abatacept, a fusion protein, and a co-stimulation blocker used in the treatment of Rheumatoid arthritis blocks the:-**

- (a) Activation of T-cells  
(b) Inhibition of T-cells  
(c) Activation of B-cells  
(d) Inhibition of B-cells

**108. Hemophilia A is a disease characterized by deficiency of:-**

- (a) Factor VIII (b) Factor II (c) Factor VII (d) Factor V

**109. The enzyme HMG-CoA reductase is involved in the pathogenesis of:-**

- (a) Atherosclerosis



- (b) Renal failure
- (c) Alzheimer disease
- (d) Parkinson disease

**110. Rheumatic heart disease is caused by:-**

- (a) Streptococcal infection
- (b) Excessive lipid consumption
- (c) Abnormal lipid metabolism
- (d) Atherosclerosis

**111. Which of the following is NOT a gene associated with breast cancer?**

- (a) BRCA1
- (b) HER2
- (c) BRCA2
- (d) CHRM1

**112. Which of the following is NOT true about the Ebola Virus Disease (EVD)?**

- (a) Spreads through human-to-human transmission via direct contact
- (b) Antiviral drugs are approved by FDA to mitigate the infection
- (c) Diagnostic tests include ELISA
- (d) The virus is named after a river

**113. Hypodermoclysis refers to which route of drug administration?**

- (a) Sublingual
- (b) Intradermal
- (c) Subcutaneous
- (d) Intravenous

**114. Which of the following is a shortest acting cholinesterase inhibitors enlisted below?**

- (a) Neostigmine
- (b) Pyridostigmine
- (c) Edrophonium
- (d) Physostigmine

**115. Which of the following is a suitable antidote for mercury poisoning?**

- (a) Atropine
- (b) Dimercaprol
- (c) Naloxone
- (d) Nalorphine

**116. Histamine concentration is highest in:-**

- (a) Beta cells
- (b) Mast cells
- (c) Lymphocytes
- (d) Adipocytes

**117. Select the  $\beta$ -lactamase inhibitor.**

- (a) Griseofulvin
- (b) Clavulanic acid
- (c) Sulfamethoxazole
- (d) Tetracycline

**118. The mechanism of action of ciprofloxacin is:-**

- (a) Inhibition of protein synthesis by interacting with 30s ribosome
- (b) Inhibition of protein synthesis by interacting with 50s ribosomes
- (c) Inhibition of DNA synthesis by interacting with topoisomerase
- (d) Inhibition of cell wall synthesis

**119. Which of the following is NOT CORRECT for myasthenia gravis?**

- (a) Down regulation of nicotinic receptors (Nm) leads to myasthenia gravis
- (b) Tubocurarine is used to treat myasthenia gravis
- (c) It is an autoimmune disorder
- (d) Thymectomy is treatment option for myasthenia gravis

**120. Which of the following describes the effect of Sodium cromoglycate?**

- (a) Mast cell degranulation

- (b) Mast cell stabilization
- (c) Leukotriene antagonism
- (d) Glucocorticoid receptor agonism

**121. Which of the following side effect of ACE inhibitors result from inhibition of bradykinin breakdown?**

- (a) Analgesia
- (b) Hyperglycaemia
- (c) Productive cough
- (d) Dry cough

**122. Identify antihistamine drug with additional serotonin receptor blocking activity and good appetite stimulant property.**

- (a) Cyproheptadine
- (b) Cimetidine
- (c) Ranitidine
- (d) Chlorpheniramine

**123. Which of the following are the mechanisms of action of digitalis glycosides?**

- i. Inhibition of  $\text{Na}^+\text{-K}^+$  ATPase enzyme.
  - ii. Reduction in the auriculo-ventricular conduction rate.
  - iii. Increase in the cardiac output.
  - iv. Acceleration of auriculo-ventricular conduction rate.
- (a) Only iii (b) i, ii and iii (c) ii, iii and iv (d) Only i

**124. The following is NOT true for Furosemide:-**

- (a) Causes hypokalemia
- (b) Causes hypouricemia
- (c) Causes hypomagnesemia
- (d) Acts by inhibiting sodium reabsorption

**125. Which of the following about the Varicella-Zoster Virus (VZV) is NOT true?**

- (a) Varicella develops after an individual is exposed to VZV for the first time
- (b) Herpes zoster develops from reactivation of the virus later in life
- (c) There are no vaccines for this virus
- (d) The infection results in post-herpetic neuralgia